RECEIVED CENTRAL FAX CENTER

Attorney's Docket No.: 05542-528001 Client's Ref. No.: 008252/CMP

MAY 2 2 2006

OFFICIAL COMMUNICATION FACSIMILE:

OFFICIAL FAX NO: (571) 273-8300

Number of pages including this page 12

Applicant: G Laurie Miller et al.

Art Unit: 2862

Serial No.: 10/633,276

Examiner: David M. Schindler

Filed

: July 31, 2003

Title

: Eddy Current System for In-Situ Profile Measurement

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Attached to this facsimile communication cover sheet is AMENDMENT, faxed this 22nd day of May, 2006, to the United States Patent and Trademark Office.

Respectfully submitted,

Date: May 22, 2006

Reg. No. 52, 113

Fish & Richardson P.C. 500 Arguello Street, Suite 500 Redwood City, California 94063 Telephone: (650) 839-5070

Fax: (650) 839-5071

50349963.doc

Attorney's Docket No.: 05542-528001 / 008252/CMP

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: G Laurie Miller et al.

Art Unit: 2862

Serial No.: 10/633,276

Examiner: David M. Schindler

Filed

: July 31, 2003

Title

: EDDY CURRENT SYSTEM FOR IN-SITU PROFILE MEASUREMENT

MAIL STOP AF

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

AMENDMENT IN REPLY TO ACTION OF MARCH 24, 2006

In response to the Office Action dated March 24, 2006, having a three-month shortened statutory period for response set to expire June 24, 2006, please amend the above-identified application as follows:

CERTIFICATE OF TRANSMISSION BY FACSIMILE

I hereby certify that this correspondence is being transmitted by facsimile to the Patent and Trudemark Office on the date indicated below.

Date of Transmission

Signature

Kathy Jordan

Tyred or Printed Name of Person Signing Certificate